

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 29.05.2008

Revision: 29.05.2008

1 Identification of the substance/preparation and of the company/undertaking

· **Product details**

- **Trade name:** SABA S3
- **Application of the substance / the preparation** Adhesive

· **Manufacturer/Supplier:**

SABA Dinxperlo BV
 Industriestraat 3
 NL-7091 DC Dinxperlo
 The Netherlands

P.O Box 3
 NL - 7090 AA Dinxperlo
 The Netherlands

Tel.: +31 315 65 89 99
 Fax: +31 315 65 32 07
 E-mail: info@saba.nl
 Internet: www.saba.nl

- **Further information obtainable from:** Drs. J.W. Diesveld (e-mail: j.diesveld@saba.nl)

- **Information in case of emergency:** Tel.: +31 315 65 89 99

2 Hazards identification

· **Hazard description:**



Xi Irritant
F Highly flammable

· **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.

R 11 Highly flammable.

R 36 Irritating to eyes.

R 66 Repeated exposure may cause skin dryness or cracking.

R 67 Vapours may cause drowsiness and dizziness.

· **Classification system:**






The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

3 Composition/information on ingredients

· **Chemical characterization**

- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 78-93-3 EINECS: 201-159-0	butanone	 Xi,  F; R 11-36-66-67	44.6%
CAS: 108-94-1 EINECS: 203-631-1	cyclohexanone	 Xn; R 10-20	18.2%
CAS: 109-99-9 EINECS: 203-726-8	tetrahydrofuran	 Xi,  F; R 11-19-36/37	13.7%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

GB

(Contd. on page 2)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 29.05.2008

Revision: 29.05.2008

Trade name: SABA S3

(Contd. of page 1)

4 First aid measures

- **General information:** Take affected persons out of danger area and lay down.
- **After inhalation:**
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.

5 Fire-fighting measures

- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards caused by the substance, its products of combustion or resulting gases:**
In case of fire, the following can be released:
Hydrogen chloride (HCl)
Carbon monoxide and carbon dioxide
- **Protective equipment:**
Wear fully protective suit.
Wear self-contained respiratory protective device.
Do not inhale explosion gases or combustion gases.

6 Accidental release measures

- **Person-related safety precautions:**
Keep people at a distance and stay on the windward side.
Wear protective equipment. Keep unprotected persons away.
- **Measures for environmental protection:** Do not allow to enter sewers/ surface or ground water.
- **Measures for cleaning/collecting:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
- **Additional information:** See Section 8 for information on personal protection equipment.

7 Handling and storage

- **Handling:**
- **Information for safe handling:**
Store in cool, dry place in tightly closed receptacles.
Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store only in the original receptacle.
Store in a cool location.
- **Information about storage in one common storage facility:** Store away from foodstuffs.

(Contd. on page 3)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 29.05.2008

Revision: 29.05.2008

Trade name: SABA S3

(Contd. of page 2)

· **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

8 Exposure controls/personal protection

· **Additional information about design of technical facilities:** No further data; see item 7.

· **Ingredients with limit values that require monitoring at the workplace:**

78-93-3 butanone

WEL	Short-term value: 899 mg/m ³ , 300 ppm
	Long-term value: 600 mg/m ³ , 200 ppm
	Sk

108-94-1 cyclohexanone

WEL	Short-term value: 20 ppm
	Long-term value: 10 ppm
	Sk

109-99-9 tetrahydrofuran

WEL	Short-term value: 300 mg/m ³ , 100 ppm
	Long-term value: 150 mg/m ³ , 50 ppm
	Sk

· **Additional information:** The lists valid during the making were used as basis.

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:

Filter A

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Neoprene gloves

(Contd. on page 4)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 29.05.2008

Revision: 29.05.2008

Trade name: SABA S3

(Contd. of page 3)

· **Eye protection:**

Tightly sealed goggles

9 Physical and chemical properties

· **General Information**

Form:	Fluid
Colour:	Colourless
Odour:	Characteristic

· **Change in condition**

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 65°C

· **Flash point:** 4°C· **Ignition temperature:** 230°C· **Self-igniting:** Product is not selfigniting.· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.· **Explosion limits:**

Lower:	1.3 Vol %
Upper:	12.0 Vol %

· **Vapour pressure at 20°C:** 200 hPa· **Density at 20°C:** 1 g/cm³· **Solubility in / Miscibility with water:** Not miscible or difficult to mix.· **Viscosity:**· **Dynamic at 20°C:** 1150 mPas· **Solvent content:**· **Organic solvents:** 76.5 %· **Solids content:** 23.5 %

10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Dangerous reactions** Violent reactions with strong alkalis and oxidizing agents.
- **Dangerous decomposition products:**
 Hydrogen chloride (HCl)
 Carbon monoxide and carbon dioxide

GB

(Contd. on page 5)

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 29.05.2008

Revision: 29.05.2008

Trade name: SABA S3

(Contd. of page 4)

11 Toxicological information

- **Acute toxicity:**

- **LD/LC50 values relevant for classification:**

78-93-3 butanone

Oral	LD50	3300 mg/kg (rat)
Dermal	LD50	5000 mg/kg (rabbit)
Inhalative	LC50/4 h	12000 mg/l (rat)

108-94-1 cyclohexanone

Oral	LD50	1535 mg/kg (rat)
Dermal	LD50	948 mg/kg (rabbit)
Inhalative	LC50/4 h	11 mg/l (rat)

109-99-9 tetrahydrofuran

Oral	LD50	2500 mg/kg (rat)
Inhalative	LC50/4 h	55-60 mg/l (rat)

- **Primary irritant effect:**

- **on the skin:** No irritant effect.

- **on the eye:** Irritating effect.

- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological information

- **Ecotoxicological effects:**

- **Aquatic toxicity:**

108-94-1 cyclohexanone

EC50	820 mg/kg (daphnia)
------	---------------------

109-99-9 tetrahydrofuran

EC50	382 mg/kg (daphnia)
------	---------------------

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- **Product:**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

08 04 09	waste adhesives and sealants containing organic solvents or other dangerous substances
----------	--

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

GB

(Contd. on page 6)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 29.05.2008

Revision: 29.05.2008

Trade name: SABA S3

(Contd. of page 5)

14 Transport information

· **Land transport ADR/RID (cross-border)**



- **ADR/RID class:** 3 Flammable liquids.
- **Danger code (Kemler):** 33
- **UN-Number:** 1133
- **Packaging group:** II
- **Hazard label:** 3
- **Description of goods:** 1133 ADHESIVES, special provision 640D

· **Maritime transport IMDG:**



- **IMDG Class:** 3
- **UN Number:** 1133
- **Label:** 3
- **Packaging group:** II
- **EMS Number:** F-E,S-D
- **Marine pollutant:** No
- **Proper shipping name:** ADHESIVES

· **Air transport ICAO-TI and IATA-DGR:**



- **ICAO/IATA Class:** 3
- **UN/ID Number:** 1133
- **Label:** 3
- **Packaging group:** II
- **Proper shipping name:** ADHESIVES

15 Regulatory information

· **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· **Code letter and hazard designation of product:**

Xi Irritant
F Highly flammable

· **Risk phrases:**

11 Highly flammable.
36 Irritating to eyes.
66 Repeated exposure may cause skin dryness or cracking.
67 Vapours may cause drowsiness and dizziness.

· **Safety phrases:**

2 Keep out of the reach of children.

(Contd. on page 7)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 29.05.2008

Revision: 29.05.2008

Trade name: SABA S3

(Contd. of page 6)

*46 If swallowed, seek medical advice immediately and show this container or label.***16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant R-phrases

- 10 *Flammable.*
- 11 *Highly flammable.*
- 19 *May form explosive peroxides.*
- 20 *Harmful by inhalation.*
- 36 *Irritating to eyes.*
- 36/37 *Irritating to eyes and respiratory system.*
- 66 *Repeated exposure may cause skin dryness or cracking.*
- 67 *Vapours may cause drowsiness and dizziness.*

· Contact: Drs. J.W. Diesveld

GB